

zunatur



Motor:
Three-phase
0,25 CV

Consumption:
180 W

Voltage:
220 V ~ 240-V/50Hz

Production:
36 fruits/minute

Diameter of the fruit:
65 - 80 mm

Weight:
45 Kg

Dimensions:
Height - 650 mm
Width - 420 mm
Depth - 320 mm

Safety:
Shutdown system
using induction loop sensors

Protection against moisture:
Ipx4

Feeder capacity:
10 kg



3-year warranty



Manufactured by:
FCL, Lda.

Rua do Sistelo, 755 | Armazém 18 | 4435-429 Rio Tinto | Gondomar
Tel. +351 229 719 430 | Fax +351 229 721 349
E-mail: geral@zunatur.com | Site: www.zunatur.com



zunatur



Fruit container

Entry point for fruit

Round rotating system
allowing the peel to come out intact
Without coming in contact with the juice


Easy to open

Stainless steel filter

Peel remover


Easy disassembly for when cleaning

Peel-collecting containers





Fruit feeder




Shutdown system detector



Cutting fruit

System for easy disassembly



Precision stainless steel cutting blade

Ultra resistant, very durable stainless steel rods



Adjustable support bases

Stainless steel chassis construction

Drip-proof grille

- Fully automatic squeezer with manual feeder
- Innovative design
- Small, compact size for use in small spaces
- Maximum extraction of juice
- Maximum quickness and convenience of use, designed with ease of operation in mind

- The collecting box is opaque, thus hiding remains and keeping the machine looking clean and elegant while it is in operation
- Quiet
- Fully constructed in stainless steel
- Maintenance-free